

Rotor 43 - is a weapon tuning kits company. The headquarters of Rotor 43 is located in Rostov-on-Don, Russia. The "Rotor 43" is a military callsign of special forces group, where I served during combat missions in the Chechen Republic.

 I^{\prime} M an ex-military, and an engineer with secondary and higher engineering education. My name is Dmitrii Gritsenko, I am the founder and the owner of the company Rotor 43. I am glad to present you the catalogue 2020 with our products!

At the beginning of its existence, the company $Rotor\ 43$ was a small workshop, but now our products are in demand all over the world. At first, our main customers were military, but later we began to sell our products to IPSC shooters, hunters, just lovers of weapons.

In the catalog $Rotor\ 43$ you will find products that have received high ratings from professionals.

WE GUARANTEE:

- Reliability and long service life, proven on machineguns.
- No negative impact on accuracy, proven on sniper rifles.
- IMPROVED TACTICAL PERFORMANCE, PROVEN ON ASSAULT RIFLES.

ROTOR 43 IS A PRODUCT FOR PROFESSIONALS, BUT EVERYONE CAN BUY OUR PRODUCTS!

MOUNT: CLAMP

LENGTH: 110 mm

WIDTH: 40 mm

WEIGHT: 160 g

MATERIALS:

D16T

COATING:

BLACK POLYMER



MUZZLE BRAKE

THREAD: M14X1L

LENGTH: 64 mm

WIDTH: 26 mm

WEIGHT: 98 g

MATERIALS:

CT45



MUZZLE BRAKE

THREAD: M24X1,5

LENGTH: 116 mm

WIDTH: 37 mm

WEIGHT: 296 g

MATERIALS:

CT45

COATING: OXIDE



FLASH HIDER

THREAD: M14X1L

LENGTH: 80 mm

WIDTH: 37 mm

WEIGHT: 247 g

MATERIALS:

CT45



FLASH HIDER

THREAD: M24X1,5

LENGTH: 95 mm

WIDTH: 37 mm

WEIGHT: 279 g

MATERIALS: CT45

COATING: OXIDE



FLASH HIDER

THREAD: M24X1,5

LENGTH: 95 mm

WIDTH: 37 mm

WEIGHT: 279 g

MATERIALS: CT45



FLASH HIDER

VEPR 12/SAIGA 12-030

THREAD: M22X0,75


LENGTH: 102 mm

WIDTH: 50 mm

WEIGHT: 276 g

MATERIALS: CT45 D16T

COATING: BLACK POLYMER & OXIDE



FLASH HIDER

THREAD: M18X1

LENGTH: 62 mm

WIDTH: 30 mm

WEIGHT: 142 g

MATERIALS:

CT45

COATING: OXIDE



MUZZLE BRAKE

MOUNT: CLAMP 22 mm

LENGTH: 100 mm

WIDTH: 40 mm

WEIGHT: 164 g

MATERIALS: D16T

COATING:

BLACK POLYMER



MUZZLE BRAKE

INTERNAL THREAD: M24X1,5

LENGTH: 76 mm

WIDTH: 27 mm

WEIGHT: 163 g

MATERIALS: CT45

COATING: OXIDE



MUZZLE BRAKE WITH EXTERNAL THREAD

INTERNAL THREAD: M14X1L

LENGTH: 68 mm

WIDTH: 22 mm

WEIGHT: 95 g

MATERIALS: CT45

COATING: OXIDE

AK-47/AKM 7,62x39

MUZZLE BRAKE WITH EXTERNAL THREAD

INTERNAL THREAD: M24X1,5

LENGTH: 76 mm

WIDTH: 27 mm

WEIGHT: 163 g

MATERIALS: CT45

COATING: OXIDE



MUZZLE BRAKE WITH EXTERNAL THREAD

INTERNAL THREAD: M24X1,5

LENGTH: 76 mm

WIDTH: 48 mm

WEIGHT: 303 g

MATERIALS: CT45

COATING: OXIDE



MUZZLE BRAKE + SHOCKWAVE REDUCTION DEVICE

ADAPTER M24X1,5 TO M14X1L

LENGTH: 69 mm

WIDTH: 28 mm

WEIGHT: 87 g

MATERIALS: CT45



SHOCKWAVE REDUCTION DEVICE

MUZZLE BRAKE INTERNAL THREAD: M24X1,5

LENGTH: 68 mm

WIDTH: 48 mm

WEIGHT: 125 g

MATERIALS:

CT45

COATING: OXIDE



SHOCKWAVE REDUCTION DEVICE FOR MUZZLE BRAKES ROTOR 43 WITH EXTERNAL THREAD & INTERNAL THREAD M24X1,5

SHOCKWAVE REDUCTION DEVICE

MUZZLE BRAKE INTERNAL THREAD: M14x1L

LENGTH: 68 mm

WIDTH: 48 mm

WEIGHT: 125 g

MATERIALS:

CT45

COATING: OXIDE



SHOCKWAVE REDUCTION DEVICE FOR MUZZLE BRAKES ROTOR 43
WITH EXTERNAL THREAD & INTERNAL THREAD M14X1L

THREAD: M18X1

LENGTH: 62 mm

WIDTH: 30 mm

WEIGHT: 142 g

MATERIALS: CT45

COATING: OXIDE



MUZZLE BRAKE

INTERNAL THREAD: M24X1,5

LENGTH: 76 mm

WIDTH: 48 mm

WEIGHT: 303 g

MATERIALS: CT45



MUZZLE BRAKE + SHOCKWAVE REDUCTION DEVICE

INTERNAL THREAD: M14X1L

LENGTH: 76 mm

WIDTH: 48 mm

WEIGHT: 303 g

MATERIALS: CT45



MUZZLE BRAKE + SHOCKWAVE REDUCTION DEVICE

INTERNAL THREAD: M14X1L

LENGTH: 60 mm

WIDTH: 24 mm

WEIGHT: 44 g

MATERIALS: CT45



MUZZLE BRAKE WITH EXTERNAL THREAD

INTERNAL THREAD: M16X1

LENGTH: 60 mm

WIDTH: 24 mm

WEIGHT: 44 g

MATERIALS: CT45

COATING: OXIDE



MUZZLE BRAKE WITH EXTERNAL THREAD

INTERNAL THREAD: M18X1

LENGTH: 60 mm

WIDTH: 24 mm

WEIGHT: 44 g

MATERIALS: CT45



MUZZLE BRAKE WITH EXTERNAL THREAD

INTERNAL THREAD: M13X1L

LENGTH: 60 mm

WIDTH: 24 mm

WEIGHT: 44 g

MATERIALS: CT45

COATING: OXIDE



MUZZLE BRAKE WITH EXTERNAL THREAD

PECHENEG machinegun

MOUNT:

BAYONET MOUNT

DIA: 40 mm


LENGTH: 60 mm

WEIGHT: 160 g

MATERIALS:

CT45

COATING: OXIDE



NOZZLE FOR A BLANK FIRING ATTACHMENT

THREAD: M24X1,5

DIA: 44 mm

LENGTH: 173 mm

WEIGHT: 570 g

MATERIALS: CT40X

COATING:

BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

THREAD: M24X1,5

DIA: 44 mm

LENGTH: 173 mm

WEIGHT: 570 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

ARTICLE 00202

THREAD: M16X1

DIA: 50 mm

LENGTH: 248 mm

WEIGHT: 550 g

MATERIALS:

D16T

COATING: BLACK POLYMER

REDUCTION*: 45%



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 45%

ARTICLE 00203

THREAD: M18,5X1

DIA: 50 mm

LENGTH: 260 mm

WEIGHT: 814 g

MATERIALS: CT40X D16T

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

AR-15/M16

THREAD: 1/2-28

DIA: 44 mm

LENGTH: 173 mm

WEIGHT: 570 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

ARTICLE 00205

THREAD: M13X1L

DIA: 44 mm

LENGTH: 173 mm

WEIGHT: 570 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

AK-47/AKM

THREAD: M14X1L

DIA: 44 mm

LENGTH: 173 mm

WEIGHT: 570 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

ARTICLE 00210

THREAD: M14X1L

DIA: 44 mm

LENGTH: 183 mm

WEIGHT: 664 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED & MUZZLE BRAKE

DOES NOT DEGRADE ACCURACY

THREAD: M14X1

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 620 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

MOUNT: CLAMP

DIA: 44 mm

LENGTH: 160 mm

WEIGHT: 580 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

VITYAZ-SN

THREAD: M16X1

DIA: 44 mm

LENGTH: 140 mm

WEIGHT: 490 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

THREAD: M18x1

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 750 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

THREAD: 5/8-24

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 620 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

THREAD: M15X1

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 620 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

THREAD: M16X1

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 620 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

THREAD: M18X1

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 620 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

THREAD: M24X1,5

DIA: 44 MM

LENGTH: 205 MM

WEIGHT: 620 F

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 DB



SUPPRESSOR 8-CHAMBERED

SAIGA-308-1 MOD. 47/46 & MOD. 50

MOUNT: COUPLER

DIA: 50 mm

LENGTH: 300 mm

WEIGHT: 900 g

MATERIALS: CT40X D16T

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

THREAD: M16X1

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 620 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

MOUNT: COUPLER

DIA: 50 mm

LENGTH: 300 mm

WEIGHT: 900 g

MATERIALS: CT40X D16T

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

SVDS (DRAGUNOV SNIPER RIFLE WITH FOLDING STOCK)

MOUNT: CLAMP

DIA: 50 mm

LENGTH: 300 mm

WEIGHT: 1100 g

MATERIALS: CT40X D16T

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

MOUNT: COUPLER

DIA: 50 mm

LENGTH: 300 mm

WEIGHT: 900 g

MATERIALS: CT40X D16T

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

VEPR-308 SUPER

MOUNT: CLAMP

DIA: 50 mm

LENGTH: 350 mm

WEIGHT: 900 g

MATERIALS: CT40X D16T

COATING: **BLACK POLYMER**

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

THREAD: M13X1

DIA: 40 mm

LENGTH: 215 mm

WEIGHT: 450 g

MATERIALS: CT40X D16T

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

MOUNT: CLAMP

DIA: 40 mm

LENGTH: 160 mm

WEIGHT: 400 g

MATERIALS: CT40X D16T

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

THREAD: M18X1,5

DIA: 44 mm

LENGTH: 215 mm

WEIGHT: 710 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

MOUNT: CLAMP

DIA: 44 mm

LENGTH: 215 mm

WEIGHT: 710 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

THREAD: M14X1L

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 620 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

VEPR 12/SAIGA 12-030

THREAD: M22X0,75

DIA: 65 mm

LENGTH: 205 mm

WEIGHT: 700 g

MATERIALS: AMG6

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 8-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

AK74/SAIGA MK

THREAD: M24X1,5

DIA: 44 mm

LENGTH: 200 mm

WEIGHT: 650 g

MATERIALS: CT40X

COATING: OXIDE BLACK POLYMER

REDUCTION*: 26-28 dB



TACTICAL KIT

AK-103/AK-104/SAIGA MK

THREAD: M24X1,5

DIA: 44 mm

LENGTH: 200 mm

WEIGHT: 650 g

MATERIALS: CT40X

COATING: OXIDE BLACK POLYMER

REDUCTION*: 26-28 dB



TACTICAL KIT

AK-47/AKM

THREAD: M14X1L

DIA: 44 mm

LENGTH: 200 mm

WEIGHT: 650 g

MATERIALS: CT40X

COATING: OXIDE BLACK POLYMER

REDUCTION*: 26-28 dB



TACTICAL KIT

SAIGA TR3

MOUNT:

BAYONET MOUNT

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 620 g

MATERIALS: CT40X

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

SAIGA TR3/AK-12

MOUNT:

BAYONET MOUNT

DIA: 44 mm

LENGTH: 205 mm

WEIGHT: 620 g

MATERIALS: CT40X

COATING:

BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR 6-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

AK-74/AKM

LENGTH: 170 mm

WEIGHT: 300 g

MATERIALS: CT45

COATING:

BLACK POLYMER



STOCK ADAPTER

COMMERCIAL SPEC TUBE ARTICLE 00501

VEPR 12

LENGTH: 180 mm

WEIGHT: 300 g

MATERIALS:

CT45

COATING:

BLACK POLYMER



STOCK ADAPTER

ARTICLE 00502 COMMERCIAL SPEC TUBE

VEPR 12

LENGTH: 240 mm

WEIGHT: 300 g

MATERIALS:

CT45

COATING: BLACK POLYMER



STOCK ADAPTER

COMMERCIAL SPEC TUBE ARTICLE 00503

CUSTOM ORDER

YOU CAN MAKE AN ORDER OF THE ROTOR 43 SUPPRESSOR IN AN ART FORM. THIS IS YOUR PASS TO THE WORLD OF LUXURY AND UNIQUE STYLE. ESPECIALLY FOR OUR CLIENTS, WE DEVELOP UNIQUE DESIGN COMPOSITIONS. FOR THOSE WHO LOVE INDIVIDUALITY - THIS IS A GREAT OPPORTUNITY. REFINED AND UNUSUAL LOOK, ORIGINAL ART SOLUTION, STYLE, SOPHISTICATED DESIGN - ALL OF THIS COMBINED IN OUR PRODUCT. WE LOVE WHAT WE DO. WE DO THIS WITH LOVE AND SOUL FOR OUR CUSTOMERS.



SUPPRESSOR IN AN ART FORM

DOES NOT DEGRADE ACCURACY

REDUCES VOLUME BY 26-28 dB

ASVK KORD

MOUNT: CLAMP

DIA: 60 mm

LENGTH: 403 mm

WEIGHT: 2300 g

MATERIALS: CT40X

COATING: **BLACK POLYMER**

REDUCTION*: 26-28 dB



SUPPRESSOR 12-CHAMBERED

DOES NOT DEGRADE ACCURACY

*REDUCES VOLUME BY 26-28 dB

AKM/AK74/SAIGA/VEPR

LENGTH: 150 mm

WEIGHT: 45 g

MATERIALS: CT45

COATING: CHROME



ADJUSTABLE GAS PISTON

The adjustable gas piston Rotor 43 makes it possible to fine-tune recoil speed of bolt.

CUSTOM ORDER MADE OF TITANIUM

MATERIALS: TITANIUM

COATING: BLACK POLYMER

REDUCTION*: 26-28 dB



SUPPRESSOR

DOES NOT DEGRADE ACCURACY

rotor43.com

rotor-43@mail.ru